



**DON'T LET TIME PASS,
WHAT YOU DREAM OF STARTS NOW.**

LINE UP 2025 - UM® MOTORCYCLES

EURO5⁺

ED



WE ARE UM[®] MOTORCYCLES

UM[®] Motorcycles is an American motorcycle manufacturer based in Miami, Florida. Founded in 1999, UM entered the global motorcycle market in the early 2000s by partnering with leading manufacturers in China, South Korea, and Taiwan. This enabled us to introduce our products worldwide.


Over two decades later, UM[®] Motorcycles continues to be driven by a mission: to create unique motorcycles that enrich the lives of our customers by making them feel authentic, adventurous, and proud. We believe every rider's individuality should be mirrored in their bike, turning it into more than just a vehicle but an extension of their personality. With this philosophy, we inspire our riders to spark their inner drive and conquer the world, no matter where the road leads. UM[®] Motorcycles is set for growth in even the most demanding markets, with upcoming larger models to expand our portfolio and customer base.

At UM[®] Motorcycles, we design and develop distinctive motorcycles with a singular goal—to provide our customers

with the ultimate sense of freedom that only a motorcycle can deliver. We are recognized for producing high-quality, feature-rich small and medium displacement motorcycles, ranging from 125cc to 400cc. Our lineup includes the iconic RENEGADE[®] American-DNA cruisers, Neo-Classic models, and an innovative range of scooters for everyday commuting.

In 2017, we expanded into the European market, offering a comprehensive range of motorcycles and scooters tailored to diverse customer needs. We established a Design Center in Turin, Italy, to ensure our models meet European standards, and our Commercial Offices in Milan keep us close to our partners and customers. Our network of independent distributors across countries ensures exceptional service and memorable experiences for every UM rider.

HOW WE REACH OUR CUSTOMERS



Our products are distributed through a global network of independent Country Distributors, that provide great customer service and experiences to our clients.

UM[®] has more than 2,000 Stores in over 40 countries. These are stores that display, sell and deliver our motorcycles but also offer experiences and service. Our Country Distributors and Dealers represent the UM[®] brand and create relationships with our most valued stakeholder: the UM[®] Customer.





Cutting Edge Design

Quality

Affordability

DESIGN

WE MAKE QUALITY PRODUCTS AT REASONABLE PRICES

OUR BIKES NOT ONLY LOOK GOOD BUT FUNCTION WITH EASE

OUR PRODUCTS WITHSTAND THE RIGORS OF USE



ISN'T THAT WHY WE RIDE?

SUPPORT

Great Service

Seriously Fun

A FUN RIDE ISN'T POSSIBLE WITHOUT PEACE OF MIND

WE HAVE THE **BEST WARRANTY** ON THE MARKET

5+5 YEARS
AMERICAN WARRANTY
or 50,000 + 50,000 kms
CONDITIONS AND RESTRICTIONS APPLY



SCOOTER LINE



WYNWOOD 125cc

BEAUTY IN SIMPLICITY



Matt Cool Grey



Matt Jeans Blue



Matt Silver



The Wynwood 125 is a Euro5+ compliant high-wheel scooter, featuring 16-inch wheels, and designed for the modern urban rider. Navigate city streets with ease thanks to its nimble 125cc engine, offering a seamless blend of simplicity and style. Equipped with a combined braking system (CBS) for reliable stopping power and a flat footboard for easy foot placement—especially useful when parking—the Wynwood is as practical as it is sleek. Its effortless ride, striking design, and diverse color options make it the ideal choice for commuters of all ages and genders.

ROCKVILLE 125cc / 300cc

EXCITE YOUR EMOTIONS AND RAISE YOUR ADRENALINE



Matt Cool Gray



Sand



Dark Grey



The Rockville boasts a sleek, modern design that's perfect for urban commuting, offering exceptional agility and stability. Its well-proportioned, aerodynamic lines are complemented by standout features like a 7-inch TFT display, adjustable windscreen, and generous under-seat storage, ensuring maximum comfort for the rider. The Rockville not only delivers thrilling acceleration and impressive top speeds but also comes equipped with a powerful ABS braking system for enhanced safety. It's time to tackle your daily routes with excitement and style—every single day.



#FLASH 125ccLZ
RIDE WITH FUN
*Only available in Greece



CLASSIC LINE

The FLASH 125cc LZ is driven by a powerful 125 cc single cylinder, 4-stroke, EFI, Euro 5 approved engine. It offers the ideal solution for those looking to navigate city traffic and enjoy urban riding thanks to the high 17" front and rear wheels and CBS combined braking system that ensures great stability. FLASH 125cc LZ is currently available in the Greek market only



RIVERDALE 401

CLASSIC SOUL, MODERN PERFORMANCE



Glossy Yellow



Gray



Bottle Green



The Riverdale 400 redefines the neo-classic motorcycle segment with its innovative design that nods to vintage aesthetics while embracing modern performance. Powered by a state-of-the-art 401cc liquid-cooled engine, this bike is engineered for both urban streets and open roads, offering an exhilarating riding experience wherever you go. With its upside-down forks, 17-inch wheels, and front radial caliper, the Riverdale 400 ensures superior handling and braking precision. Whether you're commuting through the city or venturing beyond, this motorcycle is built to be your perfect everyday companion—delivering both style and thrill in every ride.



RENEGADE LINE





RENEGADE COMMANDO 125cc / 300cc

TIMELESS MILITARY STYLE



Glossy Black



Matt Green



The timeless military looks make the UM® Renegade Commando a true hero which ride you through great adventures and fun. Its ergonomic riding position, open handlebars, footpegs, and low seat guarantee an exceptional riding experience.



RENEGADE 125cc / 300cc
VEGAS

UNLEASH YOUR WINNING STREAK



Black / Red



Black / Silver



The UM® Renegade Vegas is an authentic two-seater Sport Cruiser designed to make it's name in the city and leave a mark on the road. Available in 125cm3 and 300 cm3 engine, the UM® Renegade Vegas is the ideal companion for everyday rides, in and out of the city.





RENEGADE FREEDOM 125cc / 300cc
RIDE YOUR WAY TO FREEDOM



Black Grey



RENEGADE CLASSIC 125cc / 300cc
RIDE WITH COMFORT



Black



Black / Green



The UM Renegade Freedom is a genuine two-seater Sport Cruiser with a modern aesthetic. The 2025 model comes with ABS and showcases a new 7-inches TFT color display, a rearview camera, and the TPMS (Tire Pressure Monitoring System). Adding to its sporty allure are the LED front and rear lights featuring the iconic "R", along with the premium linear stitched leather seat and front headlight cowling.

The UM® Renegade Classic 2025 is a motorcycle with distinct character, designed to appeal to riders seeking ultimate comfort and a timeless cruiser style. This model comes equipped with ABS, a cutting-edge 7-inch TFT color display, a rearview camera, and TPMS (Tire Pressure Monitoring System). Enhanced comfort for both riders and passengers is ensured by the high windshield, providing excellent wind protection.



RENEGADE **ST** 300cc

FOCUS ON THE JOURNEY, NOT THE DESTINATION



Matt Gray







Matt White



With the new Renegade ST one thing is for sure: fun and excitement never stop. This new model brings on the road all the latest features and strives to make the riding experience unforgettable. The all new Renegade ST features standard ABS on both engine variants, a color 7-inch TFT display, TPS, rearview camera, USB port, integrated Bluetooth speakers, a comfortable two-seater saddle with an integrated passenger backrest, rider footrests, side engine protections, all complemented by a front fairing providing increased wind and rain protection, giving the ST a true American "bagger" style.

Technical Specifications


Flash 125LZ - Scooter Wynwood 125 - Scooter Rockville 125 / 300 - Renegade Commando 125 / 300

	 Wynwood 125	 Rockville 125	 Rockville 300	 Flash 125LZ	Renegade Commando 125	Renegade Commando 300
Engine Type	Single cylinder, 4-stroke, SOHC	Single cylinder, 4-stroke	Single cylinder, 4-stroke	Single cylinder, 4-stroke, SOHC	Single cylinder, 4-stroke, DOHC	Single cylinder, 4-stroke, DOHC, Built-in Balance Shaft
Valve	2 valves	4 valves	4 valves	1 valve	4 valves	4 valves
Displacement	125cm ³	124.8cm ³	276.5cm ³	125cm ³	124.2cm ³	292.4cm ³
Ignition	ECU	ECU	ECU	ECU	ECU	ECU
Fuel Delivery	EFI (Bosch)	EFI	EFI	EFI (JR)	EFI (Delphi)	EFI (Bosch)
Max. Power	7.2KW - 9.39HP / 8000 rpm	8.9KW - 12.05HP / 8250 rpm	17.5KW - 22.97HP / 8000 rpm	5.5KW - 6.747HP / 7500 rpm	9KW - 12.07HP / 9500 rpm	21KW - 28.16HP / 9000 rpm
Max. Torque	8.8N.m / 6500 rpm	11.7N.m / 6500 rpm	25N.m / 5000 rpm	8.6N.m / 6000 rpm	10.5N.m / 7500 rpm	25N.m / 7250 rpm
Compression Ratio	10.2:1	12:1	10.2:1	8.5:1	12.0:1	11:1
Bore x Stroke	54.2 x 57.8 mm	52.4 x 57.9 mm	72.5 x 66.8 mm	54 x 54 mm	58.0 x 47.0 mm	78 x 61.2 mm
Starter System	Electric Starter	Electric Starter	Electric Starter	Electric Starter	Electric Starter	Electric Starter
Cooling System	Air cooled	Liquid-cooled	Liquid-cooled	Air-cooled	Liquid-cooled	Liquid-cooled
Transmission Type	Automatic (CVT)	Automatic (CVT)	Automatic (CVT)	Automatic Gear	Constant mesh 6-speed	Constant mesh 6-speed
Final Drive	Belt	Belt	Belt	428H Chain	428H Chain	520H Chain
Front Suspension	Universal Hydraulic	Telescopic forks	Telescopic forks	Universal telescopic	Universal Hydraulic Ø30mm	Universal Hydraulic Ø41mm
Rear Suspension	Double shock absorber	Shocks with cushion	Shocks with cushion	Double shock absorber	Double shock absorber	Double shock absorber
Front Tire	110 / 70 - 16	110 / 80 - 14	110 / 80 - 14	2.50 - 17	110 / 90 - 16	110 / 90 - 16
Rear Tire	110 / 70 - 15	130 / 70 - 13	130 / 70 - 13	2.50 - 17	140 / 90 - 15	140 / 90 - 15
Brake System	CBS	ABS	ABS	CBS	CBS	ABS
Front Brake	Single disc	Single disc	Single disc	Single disc	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper
Rear Brake	Single disc	Single disc	Single disc	Single disc	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper
Weight	120 kg	140 kg	155 kg	98 kg	176 kg	186 kg
Seat Height	810 mm	785 mm	790 mm	844 mm	790 mm	770 mm
Height	1150 mm	1245 mm	1245 mm	1120 mm	1200 mm	1125 mm
Length	1980 mm	1950 mm	1950 mm	1960 mm	2300 mm	2270 mm
Width	685 mm	745 mm	745 mm	730 mm	822 mm	822 mm
Ground Clearance	135 mm	165 mm	165 mm	154 mm	160 mm	140 mm
Wheelbase	1350 mm	1350 mm	1405 mm	1260 mm	1530 mm	1540 mm
Fuel Tank Capacity	7 L	12.5 L	12.5 L	4 L	21.0 L	21.0 L



Technical Specifications


Renegade Vegas 125 / 300 - Renegade Freedom 125 / 300



	Renegade Vegas 125	Renegade Vegas 300	Renegade Freedom 125	Renegade Freedom 300
Engine Type	Single cylinder, 4-stroke, DOHC	Single cylinder, 4-stroke, DOHC, Built-in Balance Shaft	Single cylinder, 4-stroke, DOHC	Single cylinder, 4-stroke, DOHC, Built-in Balance Shaft
Valve	4 valves	4 valves	4 valves	4 valves
Displacement	124.2cm ³	292.4cm ³	124.2cm ³	292.4cm ³
Ignition	ECU	ECU	ECU	ECU
Fuel Delivery	EFI (Delphi)	EFI (Bosch)	EFI (Delphi)	EFI (Bosch)
Max. Power	9KW - 12.07HP / 9500 rpm	21KW - 28.16HP / 9000 rpm	9KW - 12.07HP / 9500 rpm	21KW - 28.16HP / 9000 rpm
Max. Torque	10.5N.m / 7500 rpm	25N.m / 7250 rpm	10.5N.m / 7500 rpm	25N.m / 7250 rpm
Compression Ratio	12.0:1	11:1	12.0:1	11:1
Bore x Stroke	58.0 x 47.0 mm	78 x 61.2 mm	58.0 x 47.0 mm	78 x 61.2 mm
Starter System	Electric Starter	Electric Starter	Electric Starter	Electric Starter
Cooling System	Liquid-cooled	Liquid-cooled	Liquid-cooled	Liquid-cooled
Transmission Type	Constant mesh 6-speed	Constant mesh 6-speed	Constant mesh 6-speed	Constant mesh 6-speed
Final Drive	428H Chain	520H Chain	428H Chain	520H Chain
Front Suspensión	Universal Hydraulic Φ 30mm	Universal Hydraulic Φ 41mm	Universal Hydraulic Φ 30mm	Universal Hydraulic Φ 41mm
Rear Suspensión	Double shock absorber	Double shock absorber	Double Shock Absorber with air cushion	Double Shock Absorber with gas reservoir
Front Tire	110 / 80 - 17	110 / 80 - 17	110 / 80 - 17	110 / 80 - 17
Rear Tire	140 / 80 - 15	140 / 80 - 15	140 / 80 - 15	140 / 80 - 15
Brake System	CBS	ABS	CBS	ABS
Front Brake	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper	Single disc, axially mounted three-piston for caliper	Single disc. Radially mounted two-piston fork caliper
Rear Brake	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper
Weight	186 kg	186 kg	186 kg	186 kg
Seat Height	790 mm	770 mm	770 mm	770 mm
Height	1120 mm	1120 mm	1125 mm	1125 mm
Length	2260 mm	2260 mm	2260 mm	2270 mm
Width	822 mm	822 mm	807 mm	822 mm
Ground Clearance	160 mm	150 mm	160 mm	140 mm
Wheelbase	1530 mm	1530 mm	1530 mm	1540 mm
Fuel Tank Capacity	21.0 L	21.0 L	21.0 L	21.0 L

Technical Specifications

Renegade Classic 125 / 300 - Renegade ST 300 - Riverdale 401



	Renegade Classic 125	Renegade Classic 300	Renegade ST 300	Riverdale 401
Engine Type	Single cylinder, 4-stroke, DOHC	Single cylinder, 4-stroke, DOHC, Built-in Balance Shaft	Single cylinder, 4-stroke, DOHC, Built-in Balance Shaft	Double cylinder, 4-stroke
Valve	4 valves	4 valves	4 valves	8 valves
Displacement	124.2cm ³	292.4cm ³	292.4cm ³	400.9cm ³
Ignition	ECU	ECU	ECU	ECU
Fuel Delivery	EFI (Delphi)	EFI (Bosch)	EFI (Bosch)	EFI
Max. Power	9KW - 12.07HP / 9500 rpm	21KW - 28.16HP / 9000 rpm	21KW - 28.16HP / 9000 rpm	31.5KW - 41.57HP / 8000 rpm
Max. Torque	10.5N.m / 7500 rpm	25N.m / 7250 rpm	25N.m / 7250 rpm	34N.m / 8000 rpm
Compression Ratio	12.0:1	11:1	11:1	11.6:1
Bore x Stroke	58.0 x 47.0 mm	78 x 61.2 mm	78 x 61.2 mm	68 x 55.2 mm
Starter System	Electric Starter	Electric Starter	Electric Starter	Electric Starter
Cooling System	Liquid-cooled	Liquid-cooled	Liquid-cooled	Liquid-cooled
Transmission Type	Constant mesh 6-speed	Constant mesh 6-speed	Constant mesh 6-speed	Automatic Gear
Final Drive	428H Chain	520H Chain	520H Chain	428H Chain
Front Suspensión	Universal Hydraulic Φ 30mm	Universal Hydraulic Φ 41mm	Universal Hydraulic Φ 41mm	Inverted shock absorber
Rear Suspensión	Double shock absorber	Double shock absorber	Double shock absorber	Central single shock absorber
Front Tire	110 / 90 - 16	110 / 90 - 16	110 / 90 - 16	110 / 70 - 17
Rear Tire	140 / 90 - 15	140 / 90 - 15	140 / 90 - 15	150 / 55 - 17
Brake System	CBS	ABS	ABS	ABS
Front Brake	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper	Double disc with radial calipers
Rear Brake	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper	Single disc. Radially mounted two-piston fork caliper	Single disc
Weight	186 kg	186 kg	186 kg	187 kg
Seat Height	790 mm	750 mm	750 mm	790 mm
Height	1200 mm	1125 mm	1125 mm	1100 mm
Length	2300 mm	2270 mm	2270 mm	2050 mm
Width	822 mm	822 mm	822 mm	800 mm
Ground Clearance	160 mm	150 mm	150 mm	160 mm
Wheelbase	1530 mm	1540 mm	1540 mm	1390 mm
Fuel Tank Capacity	21.0 L	21.0 L	21.0 L	15.5 L





SOCIAL NETWORKS

UM® MOTORCYCLES EUROPE



UM® MOTORCYCLES GLOBAL



USA ORIGINAT

 www.ummotorcycles.com - www.ummotorcycles.eu

For inquiries about becoming a UM® Country Distributor or a UM® Dealer email us at: development@ummotorcycles.com